

STAS product catalogue



STAS
picture hanging systems



Contents

Rail systems	4
Rail systems with lighting	13
Hooks and cords for rail systems	22
Magnetic hanging solutions	28
Other hanging solutions	32
Complementary products	40
Product index	45

STAS on every wall

STAS picture hanging systems provides multifunctional hanging systems and hanging accessories for walls and ceilings.


We develop, manufacture and distribute safe and flexible hanging solutions for a wide range of wall objects. These can include both decorative objects (paintings, drawings) and practical items (whiteboards, coat hooks, mirrors). Many of our products are patented and have been awarded prizes.

Our goal is to offer people freedom as they use and decorate their walls. Sustainable building management and cost savings are key in our approach.

STAS was founded in 1995 by two brothers, Rien and André Stas, and today operates worldwide. The head office is located in Eindhoven, the Netherlands.

Rail systems

Contents



Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS minirail	25 kg/m	wall	no	5
STAS cliprail	20 kg/m	wall	no	6
STAS cliprail max	25 kg/m	wall	yes	7
STAS cliprail pro	45 kg/m	wall	no	8
STAS plasterrail	20 kg/m	wall	n/a	9
STAS j-rail	25 kg/m	wall	no	10
STAS j-rail max	100 kg/m	wall	no	11
STAS u-rail	20 kg/m	ceiling	n/a	12

STAS minirail sleek and strong



STAS minirail is characterised by its extremely slim, narrow design and innovative mounting method.

The rail itself is just 16 mm in height, yet it can carry up to 25 kg per linear metre. Thanks to an innovative screw, the STAS clipscrew, the rail can easily be fixed to the wall.

STAS minirail is perfect for creating an elegant, unobtrusive hanging system for light to medium-weight objects.

Features




Dimensions	9 x 16 mm
Length	200 or 300 cm, in white also 600 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	25 kg/m
Warranty	5 years

For matching hooks and cords, see page 23.



Parts



STAS minirail white
RM10120 200 cm
RM10130 300 cm
RM10600 600 cm



STAS minirail alu
RM30120 200 cm
RM30130 300 cm



STAS minirail rail connector
RD10200



STAS minirail combi cap white
RY10200
(2 x end cap / 1 x corner cap)



STAS minirail combi cap alu
RY30200
(2 x end cap / 1 x corner cap)



STAS minirail clipscrew
SR10000
(metal, 3 per m²)



STAS plug
SR50700

STAS cliprail

the perfect basis



STAS cliprail is a high-quality picture hanging system without any mishmash. It is easy to install and feels right at home in every interior.

The cliprail owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.



Features

Dimensions	8.2 x 25 mm
Length	200 or 300 cm, in white also 600 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	20 kg/m
Warranty	5 years

For matching hooks and cords, see page 23.

Parts



STAS cliprail white
RC10320 200 cm
RC10330 300 cm
RC10360 600 cm



STAS cliprail alu
RC30120 200 cm
RC30130 300 cm



STAS cliprail end cap white
RD10300



STAS cliprail end cap alu
RD30300



STAS cliprail corner cap white
RD10400



STAS cliprail corner cap alu
RD30400



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS screw
SR30100



STAS plug
SR50700

STAS cliprail max

perfect gap-free ceiling connection



STAS cliprail max is a hanging system for the perfectionist. An extra rim ensures the rail connects beautifully with the ceiling.

With this system, your ceiling, wall and picture hanging system unite as one.

The rail is most attractive when fixed to flat ceilings. STAS cliprail max owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.


For the best result, you can neatly finish the transition between the STAS cliprail max and the ceiling by adding an (acrylic) sealant.

Features

Dimensions	8.3 x 31,6 mm
Length	200 or 300 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, adjoining to ceiling
Weight capacity	25 kg/m
Warranty	5 years

For matching hooks and cords, see page 23.

Parts



STAS cliprail max white
RC10220 200 cm
RC10230 300 cm



STAS cliprail max alu
RC30220 200 cm
RC30230 300 cm



STAS cliprail max combi cap white
RY10100
(2 x end cap / 1 x corner cap)



STAS cliprail max combi cap alu
RY30100
(2 x end cap / 1 x corner cap)



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS screw
SR30100



STAS plug
SR50700



STAS cliprail pro

elegant powerhouse



STAS cliprail pro is ideal for hanging heavier objects on walls thanks to its thick-walled profile. This rail can carry an amazing 45 kg per linear metre.

Despite its large weight-bearing capacity, the STAS cliprail pro is an elegant, unobtrusive rail that can be used in professional environments as well as in the home.

STAS cliprail pro owes its name to the specially designed fastening clip - the STAS railclip - which allows easy fixation to the wall.




Features



Dimensions	11.3 x 28 mm
Length	200 or 300 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	45 kg/m
Warranty	5 years

For matching hooks and cords, see page 23.

Parts



STAS cliprail pro white
VC10200 200 cm
VC10300 300 cm



STAS cliprail pro alu
VC30200 200 cm
VC30300 300 cm



STAS cliprail pro
end cap white
VE10200



STAS cliprail pro
end cap alu
VE30200



STAS cliprail pro
corner cap white
VD10400



STAS cliprail pro
corner cap alu
VD30400



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS screw
SR30100



STAS plug
SR50700

STAS plasterrail

for the forward thinker



Practically invisible, but by no means less functional. STAS plasterrail is the only picture hanging system in our range which can be fully integrated into a new stucco wall. So it's ideal for new-build projects and renovations.

The steel rail is fixed to the bare wall. After plastering, only a small opening of approximately 4 mm is visible in the stucco. Cords specially designed for the plasterrail can then be hooked in through this opening.

To prevent any plaster from entering the rail during plaster work, a cord must be placed in the rail opening before the work begins.



Features

Dimensions	10.5 x 45 mm
Length	12 mm
Colour	250 cm
Material	galvanised steel
Installation	wall mountable, integrated in stucco
Weight capacity	20 kg/m
Warranty	5 years

For matching hooks and cords, see page 26.

Parts



STAS plasterrail
RS30250 250 cm



STAS plasterrail
connector
RS30251



STAS plasterrail
plaster cord
RS30260

STAS j-rail

professional versatility



The design of STAS j-rail was based on the shape of the letter J. This shape allows the rail to be combined in all kinds of different ways using hooks, cords and even rods.

For example, by using a rod instead of a cord or steel cable, moving or alternating works of art on high ceilings becomes a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

STAS j-rail has a somewhat industrial look and is applied regularly in art galleries and in business premises.



Features

Dimensions	7 x 20 mm
Length	200 or 300 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	25 kg/m
Warranty	5 years

For matching hooks, cords and rods see page 24.

Parts



STAS j-rail white
RJ10120 200 cm
RJ10130 300 cm
(4 holes per m¹)



STAS j-rail alu
RJ30120 200 cm
RJ30130 300 cm
(4 holes per m¹)



STAS j-rail screw flush head white
SJ10100



STAS j-rail screw flush head alu
SJ30100



STAS plug
SR50700

STAS j-rail max

heavyweight champion



STAS j-rail max is designed for the heavy objects. The thick-walled aluminium profile is capable of supporting loads of up to 100 kg per linear metre.

What's more, STAS j-rail max is combined with rods instead of cords, which makes alternating and moving heavy works of art on high ceilings a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

The STAS j-rail max system is also available with theft-delaying security hooks and is often used in art galleries and museums.


Features

Dimensions	9 x 20 mm
Length	200 or 300 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	100 kg/m
Warranty	5 years

For matching hooks and rods, see page 25.



Parts



STAS j-rail max white
RJ10220 200 cm
RJ10230 300 cm
(4 holes per m¹)



STAS j-rail max alu
RJ30220 200 cm
RJ30230 300 cm
(4 holes per m¹)



STAS j-rail max screw sunk head white
SJ10200



STAS j-rail max screw sunk head alu
SJ30200



STAS plug
SR50700

STAS u-rail

suspended ceiling becomes hanging system



STAS u-rail is specially designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling.

STAS u-rail is also ideally suited for hanging whiteboards, billboards or large maps. So now, with just a small modification, your suspended ceiling becomes a versatile picture hanging system, ideal for use in offices, schools and healthcare facilities.




Features



Dimensions	14 x 6.5 mm
Length	200 or 300 cm
Colour	white, black or alu (to match the edge trim)
Material	aluminium
Installation	ceiling mountable
Weight capacity	20 kg/m
Warranty	5 years

For matching hooks and cords, see page 23.

Parts



STAS u-rail white
RP10120 200 cm
RP10130 300 cm
(8 holes per m²)



STAS u-rail alu
RP30120 200 cm
RP30130 300 cm
(8 holes per m²)



STAS u-rail black
RP20120 200 cm
RP20130 300 cm
(8 holes per m²)



STAS u-rail screw white
SP10100



STAS u-rail screw alu
SP30100



STAS u-rail screw black
SP20100

Rail systems with lighting

Contents

Rail	Weight capacity	Installation	Adjoining to ceiling?	Page
STAS multirail	45 kg/m	wall	no	14
STAS multirail max	45 kg/m	wall	yes	15
STAS multirail crown	45 kg/m	wall	n/a	16
STAS multirail flat	45 kg/m	ceiling	n/a	17
STAS u-rail multi	30 kg/m	ceiling	n/a	18
STAS fixtures	n/a	n/a	n/a	19
STAS spotlights	n/a	n/a	n/a	20
STAS adapters	n/a	n/a	n/a	21

STAS multirail

hanging and lighting rolled into one



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, accentuating your wall decorations with LED or halogen lamps. In combination with LED lighting, the STAS multirail is very energy efficient.




Features



Dimensions	11.3 x 28 mm
Length	200 or 300 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	45 kg/m
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 23.

Parts



STAS multirail white
VH10200 200 cm
VH10300 300 cm



STAS multirail alu
VH30200 200 cm
VH30300 300 cm



STAS multirail end cap white
VE10200



STAS multirail end cap alu
VE30200



STAS multirail corner cap white
VD10400



STAS multirail corner cap alu
VD30400



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS screw
SR30100



STAS plug
SR50700



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

STAS multirail max

perfect gap-free ceiling connection



A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations with LED or halogen lamps.

The STAS multirail max distinguishes itself thanks to the extra rim that ensures a tight fit against flat ceiling surfaces. With this system, your ceiling, wall and picture hanging system unite as one. Cables can be hidden behind the rim.

For the best result, you can neatly finish the transition between the STAS multirail max and the ceiling by applying an (acrylic) sealant.

Features



Dimensions	11.3 x 38,3 mm
Length	200 or 300 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, adjoining to ceiling
Weight capacity	45 kg/m
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 23.




Parts



STAS multirail max white
VC10420 200 cm
VC10430 300 cm



STAS multirail max alu
VC30420 200 cm
VC30430 300 cm



STAS prorail max white
RM10420 200 cm
RM10430 300 cm
rail without 12 V power supply insert



STAS multirail max end cap white
VE10400



STAS multirail max end cap alu
VE30400




STAS multirail max corner cap white
VD20500



STAS multirail max corner cap alu
VD30500



STAS railclip
RD40100
(metal, 3 per m²)



STAS rail connector
RD40200
(metal)



STAS screw
SR30100



STAS plug
SR50700



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

STAS multirail crown moulding in the spotlights



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations with LED or halogen lamps.

STAS multirail crown is a picture hanging system that is mounted virtually invisibly on the wall and can be combined with a moulding of your choice.




Features




Dimensions	12.7 x 37.5 mm
Length	200 or 300 cm
Colour	white (more colours on request)
Material	aluminium
Installation	wall mountable
Weight capacity	45 kg/m
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 23.

Parts



STAS multirail crown white
RC10420 200 cm
RC10430 300 cm



STAS prorail crown white
RH10420 200 cm
RH10430 300 cm
rail without 12 V power supply insert



STAS multirail crown rail connector
RD20400



STAS multirail crown corner connector
RD20500



STAS multirail crown screw
SJ10200



STAS plug
SR50700



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

STAS multirail flat concealed class



A STAS multirail system is a picture hanging system and artwork lighting rolled into one. Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations with LED or halogen lamps.

STAS multirail flat is a ceiling-mounted picture hanging system that can be virtually invisibly integrated with stucco work or with a single or double flat moulding. It is even possible to glue the rail to a plaster, timber or foam moulding or to a timber ceiling.

Features



Dimensions	31.3 x 18 mm
Length	200 or 300 cm
Colour	white (more colours on request)
Material	aluminium
Installation	ceiling mountable
Weight capacity	45 kg/m
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 23.



Parts



STAS multirail flat white
RC10520 200 cm
RC10530 300 cm
(4 holes per m²)



STAS prorail flat white
RH10520 200 cm
RH10530 300 cm
rail without 12 V power supply insert
(4 holes per m²)



STAS multirail flat rail connector
RD20400



STAS multirail flat corner connector
RD20500



STAS multirail flat screw
SJ10200



STAS plug
SR50700



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

STAS u-rail multi

lighting rail for suspended ceilings



A STAS multirail system is a picture hanging system and artwork lighting rolled into one.

Inside the rail, 12 V wiring (low voltage) has been integrated. Various matching light fixtures can then be clicked into the rail at any position you choose, to accentuate your wall decorations with LED or halogen lighting.

STAS u-rail multi is purpose-designed for suspended ceilings. The rail is easily and almost invisibly attached to the supporting edge trim of the suspended ceiling. STAS u-rail multi also offers a perfect solution for hanging whiteboards, billboards or large maps.



Features

Dimensions	17.3 x 13.4 mm
Length	200 or 300 cm
Colour	white, black or alu (to match the edge trim)
Material	aluminium
Installation	ceiling mountable
Weight capacity	30 kg/m
Voltage	12 V (low voltage)
Adapter	18 W, 60 W, 96 W
Warranty	5 years on rails, 1 year on accessories

For matching hooks and cords, see page 23.



Parts



STAS u-rail multi white
VP10200 200 cm
VP10300 300 cm
(8 holes per m²)



STAS u-rail multi alu
VP30200 200 cm
VP30300 300 cm
(8 holes per m²)



STAS u-rail multi black
VP20200 200 cm
VP20300 300 cm
(8 holes per m²)



STAS u-rail screw white
SP10100



STAS u-rail screw alu
SP30100



STAS u-rail screw black
SP20100



STAS multirail conductor 12 V straight
VF50200



STAS multirail conductor 12 V corner
VF50100

STAS multirail accessories

fixtures

STAS offers a choice of 8 different light fixtures. Your choice depends on your personal preference and on the size of the artwork you wish to illuminate. Every light fixture fits on all multirail systems.

Tips

- The bigger the distance between light source and wall, the bigger the artwork that can be illuminated. In other words: choose a large fixture for lighting a large work of art.
- Is your wall 270 cm high or higher? We would recommend installing a fixture of 70 cm.

Adjusting

All fixtures have a flexible or hinged part with which small adjustments to the beam angle can be made.

1 year warranty applies to all multirail accessories.




STAS multirail fixture classic white
VA10500 50 cm
VA10700 70 cm



STAS multirail fixture classic chrome
VA30500 50 cm
VA30700 70 cm



STAS multirail fixture sirius chrome
VA30365 40 cm
VA30465 50 cm
VA30665 65 cm



STAS multirail fixture signo chrome
VA30770 70 cm

STAS multirail accessories

spotlights

STAS offers 3 different LED spotlights and 2 different halogen spotlights. Your choice depends on your personal preference in terms of energy efficiency, light colour, warmth radiation and the shape and intensity of the light beam. All spotlights fit on all light fixtures. 1 year warranty applies to all multirail accessories.



STAS LED spot 3.5 W / 27°



Emits a narrow beam of light suitable for small paintings.

	VL10200
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	27°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

STAS LED spot 3.5 W / 95°



Emits a wide beam of light suitable for large artworks.

	VL10900
Power	3.5 W
Output equivalent	20 W
Max. consumption	3.5 W
Light intensity	200 lm
Infrared radiation	none
Light colour	warm white
Colour temperature	2700 K
Light beam	standard - diffuse
Beam angle	95°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	40.000
Energy class	A+

STAS powerLED 4 W matt



The closed housing avoids light spill at the back.

	VL10700
Power	< 4 W
Output equivalent	20 W
Max. consumption	3.4 W
Light intensity	170 lm
Infrared radiation	none
Light colour	neutral white
Colour temperature	3000 K
Light beam	standard - diffuse
Beam angle	30°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	20.000
Energy class	A+

STAS halogen 20 W Kandolite clear



Equipped with a double coating on the reflector side, preventing light spill on the ceiling.

	VL10304
Power	20 W
Output equivalent	20 W
Max. consumption	20 W
Light intensity	150 lm
Infrared radiation	medium
Light colour	warm white
Colour temperature	2700 K
Light beam	standard
Beam angle	30°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	3.000
Energy class	B

STAS halogen 20 W Kandolite matt



Equipped with a double coating on the reflector side, preventing light spill on the ceiling.

	VL10305
Power	20 W
Output equivalent	20 W
Max. consumption	20 W
Light intensity	150 lm
Infrared radiation	medium
Light colour	warm white
Colour temperature	2700 K
Light beam	standard
Beam angle	30°
Socket	MR11-GU4.0
Vibrational impact	low
Lifespan	3.000
Energy class	B

STAS multirail accessories

adapters



The choice of an adapter depends on 3 things:

- the type of spotlight you'd like to use (LED or halogen)
- the number of spotlights you'd like to install
- the number of metres of rail you'd like to install

View the tables below for the best choice.

Using multiple adapters

In case you would like to use more than the below mentioned number of metres or spots, you will have to use multiple adapters.

CAUTION:

Create independent circuits when using more than one adapter! Adapters must never be connected, neither directly nor indirectly. In short: NEVER connect two rail segments that are each connected to a different adapter! Exclusively connect rail segments that share one adapter.

Dimming of light

The current STAS adapters are not yet dimmable. We strongly advise against connecting your own switch or dimmer to the system. Be aware that if you do this anyway, all system warranty expires.



STAS multirail adapter 18 W
VT20500



STAS multirail adapter 60 W
VT20400




STAS multirail adapter 96 W
VT20300

STAS adapters			
	VT20500 STAS multirail adapter 18 W	VT20400 STAS multirail adapter 60 W	VT20300 STAS multirail adapter 96 W
Input voltage	AC100-240 V ~ 50/60 Hz 0.7 A	AC100-240 V ~ 50/60 Hz 1.6 A	AC100-240 V ~ 50/60 Hz 2 A
Output voltage	DC 12 V == 1.5 A	DC 12 V == 5 A	DC 12 V == 8 A
Ampère	1.5 A	5 A	8 A
Dimensions (l x h x b)	75 x 86 x 36 mm	110 x 32 x 62 mm	149 x 38 x 65 mm
Weight	180 gram	415 gram	600 gram
Connection	input plug (EU) output cable 3 m	input cable (EU) 1.2 m output cable 3 m	input cable (EU) 1.5 m output cable 3 m
Quality label	CE GS TÜV WEEE ROHS	UL CE GS TÜV WEEE ROHS	UL CE GS TÜV WEEE

Number of spotlights

		LED 3.5 W	LED 4 W	Halogen
VT20500	Adapter 18 W	4	3	-
VT20400	Adapter 60 W	15	12	3
VT20300	Adapter 96 W	25	20	4
	Maximum number of metres of rail per adapter	16	16	8



Hooks and cords for rail systems

Contents

STAS hooks and cords	23
STAS j-rail hooks, cords and rods	24
STAS j-rail max hooks and rods	25
STAS plasterrail hooks and cords	26
Summary table hooks and cords	27

STAS hooks and cords

After selecting a rail, choose a cord to hook into the rail and a hook to slide over the cord to the desired height.

The cords and hooks on this page can be combined with all STAS rail types, with the exception of STAS j-rail, STAS j-rail max and STAS plasterrail.

Cords



**STAS cobra
with perlon cord**
CP10110 100 cm
CP10115 150 cm
CP10120 200 cm
CP10125 250 cm
CP10130 300 cm
CP10140 400 cm



**STAS cobra
with steel cable**
SC10110 100 cm
SC10115 150 cm
SC10120 200 cm
SC10125 250 cm
SC10130 300 cm
SC10140 400 cm



**STAS cobra with
steel cable white**
SC10220 200 cm

**STAS cobra with
steel cable black**
SC20220 200 cm



Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530



Possible combinations



perlon cord +
smartspring

max.
4 kg



perlon cord +
zipper or zipper pro

max.
15 kg



steel cable +
zipper or zipper pro

max.
20 kg



steel cable white or black +
zipper or zipper pro

max.
10 kg

STAS j-rail hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.

Cords and rods



STAS perlon cord with loop
PL10110 100 cm
PL10115 150 cm
PL10120 200 cm
PL10125 250 cm
PL10130 300 cm



STAS steel cable with loop
SL10110 100 cm
SL10115 150 cm
SL10120 200 cm
SL10125 250 cm
SL10130 300 cm



STAS j-rail s-hook white
HR10400

STAS j-rail s-hook chrome
HR30400



STAS cylinder hook white
HR10600

STAS cylinder hook alu
HR30600

STAS perlon cord with disk
PH10110 100 cm
PH10115 150 cm
PH10120 200 cm
PH10125 250 cm
PH10130 300 cm



STAS j-rail rod 3 mm white
SO10110 100 cm
SO10115 150 cm
SO10120 200 cm
SO10130 300 cm



STAS j-rail rod 3 mm alu
SO30110 100 cm
SO30115 150 cm
SO30120 200 cm
SO30130 300 cm

STAS j-rail max hooks and rods

STAS j-rail max works only with rods and matching hooks.

Rods



STAS j-rail max rod 4x4 white
SM10110 100 cm
SM10115 150 cm
SM10120 200 cm
SM10125 250 cm



STAS j-rail max rod 4x4 alu
SM30110 100 cm
SM30115 150 cm
SM30120 200 cm
SM30125 250 cm



STAS j-rail max rod 4x10 white
SM10210 100 cm
SM10215 150 cm
SM10220 200 cm
SM10225 250 cm



Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530



STAS j-rail spring hook
HA30700



Hooks



STAS j-rail max hook for rod 4x4
HA40600



STAS j-rail max security hook 4x4
HA40700



STAS j-rail max security set, collar + cap
BK10200



STAS j-rail max hook for rod 4x10
HA40500

Possible combinations



j-rail s-hook + perlon cord with loop + smartspring, zipper or zipper pro
max. 4 kg



j-rail s-hook + steel cable with loop + zipper or zipper pro
max. 20 kg



cylinder hook + perlon cord with disk + smartspring
max. 4 kg



cylinder hook + perlon cord with disk + zipper or zipper pro
max. 15 kg



j-rail rod + spring hook
max. 15 kg

Possible combinations



j-rail max rod 4x4 + j-rail max (security) hook
max. 40 kg



j-rail max rod 4x4 + j-rail max (security) hook + security set
max. 40 kg



j-rail max rod 4x10 + j-rail max hook for rod 4x10
max. 100 kg

STAS plasterrail hooks and cords

STAS plasterrail has its own cords that are specially designed for the specific rail opening.

Cords



STAS perlon cord with loop
PL10110 100 cm
PL10115 150 cm
PL10120 200 cm
PL10125 250 cm
PL10130 300 cm



STAS steel cable with loop
SL10110 100 cm
SL10115 150 cm
SL10120 200 cm
SL10125 250 cm
SL10130 300 cm



STAS plasterrail S-hook chrome
RS30270
(for cord with loop)



STAS perlon cord with plasterrail hook
PA10150 150 cm



Hooks



STAS smartspring
HA30900



STAS zipper
HA30501



STAS zipper pro
HA30530

Possible combinations



plasterrail s-hook + perlon cord with loop + smartspring, zipper or zipper pro
max. 4 kg



plasterrail s-hook + steel cable with loop + zipper or zipper pro
max. 20 kg



perlon cord with plasterrail hook + zipper or zipper pro
max. 10 kg

Summary table hooks and cords

 Hooks \ Cords	smartspring	zipper / zipper pro	spring hook	j-rail max hook for rod 4x4	j-rail max security hook 4x4	j-rail max hook for rod 4x10
all STAS rails (excl. STAS j-rail, STAS j-rail max and STAS plasterrail)						
perlon cord with cobra	4 kg	15 kg	-	-	-	-
steel cable with cobra	-	20 kg	-	-	-	-
steel cable black or white with cobra	-	10 kg	-	-	-	-
STAS j-rail						
cylinderhook and perlon cord with disk	4 kg	15 kg	-	-	-	-
j-rail s-hook and perlon cord with loop	4 kg	15 kg	-	-	-	-
j-rail s-hook and steel cable with loop	-	20 kg	-	-	-	-
j-rail rod	-	-	15 kg	-	-	-
STAS j-rail max						
j-rail max rod 4x4 white or alu	-	-	-	40 kg	40 kg	-
j-rail max rod 4x10 white	-	-	-	-	-	100 kg
STAS plasterrail						
perlon cord with plasterrail hook	4 kg	15 kg	-	-	-	-
s-hook and perlon cord with loop	4 kg	15 kg	-	-	-	-
s-hook and steel cable with loop	-	20 kg	-	-	-	-
Additional (e.g. panel hooks)						
perlon cord with loop	4 kg	15 kg	-	-	-	-
steel cable with loop	-	20 kg	-	-	-	-

Magnetic hanging solutions

Contents

STAS magnet sets	29
STAS magnetic picture hooks	30
STAS magnetic coat hooks	30
STAS steelstrip	31
STAS metal tape	31
STAS magnetic suspended ceiling hooks	31

STAS magnet sets cards on a cable



A STAS magnet set consists of a steel cable with cobra and five or ten magnets. Hook the steel cable into your STAS rail. Using the magnets, you can then hang photos, cards and memos on the cable. It's ideal for Christmas cards, birthday cards, to-do notes or temporary displays.

STAS offers a choice of three magnet sets: white, coloured or 2-in-1.

The white and coloured variants of the STAS magnet set cannot be combined with STAS j-rail, STAS j-rail max and STAS plasterrail. The 2-in-1 variant can be combined with all STAS rails except for STAS j-rail max.

STAS magnet set

The standard STAS magnet set consists of a steel cable with cobra and ten white tripod magnets.

STAS coloured magnet set

The STAS coloured magnet set consists of a steel cable and ten cone-shaped magnets in five different colours.

STAS magnet set 2-in-1

The STAS magnet set 2-in-1 can be used in two different ways. Hook the cable into your STAS rail with the cobra or hang it with a loop onto an edge panel hook or any other hook. This set comes with five cone-shaped magnets in five different colours.



Products



STAS magnet set
BM20360
steel cable 150 cm with cobra, 10 white neodymium magnets



STAS white magnets
MB10050
10 separate, white neodymium magnets



STAS coloured magnet set
BM20370
steel cable, 150 cm with cobra, 10 coloured neodymium magnets



STAS coloured magnets
MB10040
10 separate, coloured neodymium magnets



STAS magnet set 2-in-1
BM20380
steel cable, 150 cm with cobra and loop, 5 coloured neodymium magnets

Magnetic picture hooks

The STAS magnetic picture hooks are steel plates with a sturdy hook. The back of the plate is magnetic, ideal for affixing to metal surfaces.

Dimensions	Weight capacity (approximation)
50 x 100 mm	1 kg
100 x 200 mm	6 kg
150 x 250 mm	10 kg
200 x 300 mm	21 kg



STAS magnetic picture hook 50 x 100 mm
MA10100



STAS magnetic picture hook 100 x 200 mm
MA10200



STAS magnetic picture hook 150 x 250 mm
MA10300




STAS magnetic picture hook 200 x 300 mm
MA10400

STAS steelstrip

Simple yet versatile: STAS steelstrip is a magnetised strip designed for hanging up drawings and papers using magnets.

Features	
Width	5 cm
Length	50 or 100 cm
Installation	with a sticker or other adhesive
Magnets	can be used with various types of magnets



STAS steelstrip
MA00050 50 x 5 cm
MA00100 100 x 5 cm



STAS metal tape
MA00018

STAS metal tape

Aside from the steelstrip, STAS also offers rolls of self-adhesive metal tape (30 m per roll). This variant is 16 mm wide and can be cut off at any desired length.



STAS memo magnet
Ø 30 mm, 10 pieces
MA00011

Magnetic coat hooks

The magnetic coat hooks are designed by Gerard Kerklaan to be both functional and representative. You can attach the hooks easily to a steel surface.

The single and double coat hooks come with coat hangers.

Material: natural anodised aluminium with dark-grey plastic.

The aluminium profiles are also available in the colours:
RAL 3002, RAL 5002, RAL 9011, RAL 9006, RAL 9010

Magnetic suspended ceiling hooks

No more messing around with bending paper clips or tying strings. With the white STAS suspended ceiling hooks, you can suspend teaching material, signage or festive decorations from the metal profile of a suspended ceiling in no time.

The ceiling hooks are packed in sets of 5.

STAS suspended ceiling hooks are also available in a non-magnetic variety. You can find them on page 39.



STAS magnetic coat hook single
9 x 12 x 10 cm
MA90010



STAS magnetic coat hook double
9 x 12 x 16 cm
MA90016



STAS magnetic coat hook quartet
40 x 12 x 5 cm
MA90040



STAS magnetic ceiling hook 25 mm
MA00002
max. 3 kg



STAS magnetic straight ceiling hook
MA00005
max. 5 kg



Other hanging solutions

Contents

STAS papergrip	33
STAS paperrail	34
STAS panel hooks	35
STAS picture hits	36
STAS poster strips and poster snaps	37
STAS set up	38
STAS suspended ceiling hooks	39
STAS dibond hangers	39

STAS papergrip twice as handy



STAS papergrip is one rail with two applications. Thanks to a handy internal strip, papers can be easily clipped into the rail or removed. In addition, cards (etc.) can be placed in the special ledge on top of the rail.

STAS papergrip is suitable for thick and thin paper and it can even grab hold of thin magazines and laminated paper. Separate rail pieces can be connected to create a hanging system spanning the entire wall.

Optional: click specially designed STAS papergrip hooks onto the rail to hang up additional small items, like keys, or for example a STAS magnet set 2-in-1.

Features



Dimensions	13.3 mm x 45 mm
Length	50, 100, 150 or 200 cm
Colour	white, white textured, black textured or alu textured (more colours on request)
Material	rail: aluminium with powder coating inside strip: polyurethane foam core and polyethylene coating layer
Installation	standard with railclips (3 per metre) optional with magnetic tape or double-sided tape
Warranty	5 years



Parts

 STAS papergrip white PG10105 50 cm PG10110 100 cm PG10115 150 cm PG10120 200 cm	 STAS papergrip white textured PG15005 50 cm PG15010 100 cm PG15015 150 cm PG15020 200 cm	 STAS papergrip alu textured PG30105 50 cm PG30110 100 cm PG30115 150 cm PG30120 200 cm	 STAS papergrip black textured PG20105 50 cm PG20110 100 cm PG20115 150 cm PG20120 200 cm	 STAS papergrip end cap PG90001 white PG90003 alu PG90002 black
 STAS papergrip hook HA40410 white HA40412 alu HA40411 black	 STAS railclip RD40100 (metal, 3 per m ²)	 STAS rail connector RD40200 (metal)	 STAS screw SR30100	 STAS plug SR50700

STAS paperrail

marbles put to good use



STAS paperrail is an aluminium rail for hanging up loose papers. The rail contains glass marbles, which press against the paper, creating a handy clamping mechanism.

You can slide drawings, announcements and photos into the rail with a single move and remove them again without any damage to the paper. Papers can also be placed on top of the rail.

Ideal for use in classrooms, offices, restaurants and even at home above the kitchen table.

The STAS paperrail is mounted directly onto the wall.



Features

Dimensions	21 x 48.5 mm
Length	50, 100 or 200 cm
Colour	white or alu (more colours on request)
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	suitable for paper and cardboard
Warranty	5 years



Parts



STAS paperrail white
KN10005 50 cm
KN10010 100 cm
KN10020 200 cm



STAS paperrail alu
KN30005 50 cm
KN30010 100 cm
KN30020 200 cm



STAS plug
SR50700



STAS screw
SR30100



STAS paperrail
connector set
KN30100

STAS panel hooks

the classic hanging solution

Panel hooks offer a practical solution when you need to hang objects from wall panels, partition walls, doors, cornices, etc.

They are very easy to combine with STAS cords with a loop and a STAS zipper or STAS smartspring. This way, you can create a complete hanging system in an instant, but without the aluminium rail.



Products

STAS offers many different types of panel hooks:



STAS panel hook
white 11 mm
HW10300



STAS panel hook
white 16 mm
HW10400



STAS panel hook white
18 mm
HW10600



STAS panel hook
white 21 mm
HW10500



STAS panel hook
white 26 mm
HW10700



STAS panel hook
white 31 mm
HW10800



STAS panel hook
alu intersect
HW30700



STAS panel hook alu
lux window frame
HW30800



STAS panel hook
transparent alcoa
HW50100



STAS panel hook alu
vervol type 1
HW30300



STAS panel hook alu
vervol type 2
HW30400



STAS panel hook alu
sepa normal
HW30500



STAS panel hook askon
chrome
HW50400



STAS panel hook PE
transparent
HW50500



STAS panel hook
maars
HW50600



STAS moulding hook
white
alu
HW10200



STAS moulding hook
alu
HW30200



STAS moulding hook
gold
HW60200

STAS picture hits

invisible connection



STAS picture hits are transparent plastic clips that allow you to easily connect photos, cards and other lightweight decorative items to each other and to your STAS rail.

The first clip is screwed into your STAS rail. Then you can slide a photo, card or other decoration into the clip. By sliding a new STAS picture hit on the bottom or side, you can attach another decoration. Step by step, you can create your own unique collage.

STAS picture hits are ideal for temporary or changing decorations, for instance photos, Christmas cards, birthday cards, vacation snaps, streamers and other party or seasonal attributes.

Tip: place the transparent distance strips between the rail and your decoration to hang it a little lower, for example at eye level.

STAS poster strips and poster snaps

hanging without framing



STAS poster strip
The STAS poster strip is a classic poster strip in transparent plastic and is designed to lock posters into position so as to hang them neatly, simply and stylishly. The poster can be slid into the strip from the side.

STAS poster snap
The STAS poster snap is a more luxurious variant to the plastic poster strip, made from high-grade aluminium. This makes the system ideally suited for presenting canvases, fabrics and heavy posters without taking anything away from the style.

The poster does not have to be inserted from the side: simply click the STAS poster snap open and shut at the top and the bottom.



Features



Colour	transparent
Material	plastic
Installation	to a STAS rail *
Weight capacity	suitable for paper and thin cardboard
Warranty	5 years

* with the exception of STAS j-rail, STAS j-rail max and STAS plasterrail.

Features

STAS poster strip

Dimensions	6 x 13 mm
Length	30, 42, 50, 60, 70, 84 or 100 cm
Colour	transparent
Material	plastic
Weight capacity	suitable for paper and cardboard
Warranty	5 years

Features

STAS poster snap

Dimensions	16 x 27 mm
Length	50, 70 or 100 cm
Colour	alu
Material	aluminium
Weight capacity	suitable for heavier posters, canvas and fabrics
Warranty	5 years



STAS picture hits
BM20350

- Contents per set**
- 220 STAS picture hits (clips)
 - 2 STAS pet strips 50 cm (transparent distance strips)



- STAS poster strip set transparent**
- PS50030 30 cm
 - PS50042 42 cm
 - PS50050 50 cm
 - PS50060 60 cm
 - PS50070 70 cm
 - PS50084 84 cm
 - PS50110 110 cm



- STAS poster snap set alu**
- PS30050 50 cm
 - PS30070 70 cm
 - PS30100 100 cm



STAS set up

placing instead of hanging



Sometimes it's a better idea to rest pictures and photo frames on something instead of hanging them up. That's when the STAS set up comes in handy. This stylish rail measuring 145 cm in length has a neutral design and can be used in many ways.

Each rail requires 6 screws and wall plugs for mounting.

STAS suspended ceiling hooks

No more messing around with bending paper clips or tying strings. With the white STAS suspended ceiling hooks, you can hang up children's crafts, festive decorations or lesson material to the suspended ceiling in an instant. All you need to do is slide the hook over the runners of the suspended ceiling.

STAS suspended ceiling hooks are available with an eyelet, with a hook or in 2 magnetic variants (you can find the magnetic hooks on page 31).



STAS suspended ceiling hook white
HA10100 max 5 kg



STAS suspended ceiling hook for loop
HA10200 max 5 kg



Features

Dimensions	145 cm long, 8 cm deep with a 1.7 cm-high raised edge
Colour	145 cm
Material	white or alu
Installation	wall mountable with 6 screws
Weight capacity	15 kg/m
Warranty	5 years

STAS dibond hangers

STAS dibond hangers are self-adhesive steel plates with a hook, which can be affixed onto the back of flat panels. That way, the panel is equipped with a hook, with which it can then be suspended from a picture hanging system.

Ideally suited for art and photography on acrylic, dibond, plexiglas or aluminium, mirrors or any other smooth panel surface.

A STAS dibond hanger set includes 1 hanger and mounting material.



Parts



STAS set up white
RR10120 145 cm



STAS set up alu
RR30120 145 cm



STAS screw
flush head white
SJ10100



STAS screw
flush head alu
SJ30100



STAS plug
SR50700



STAS dibond hanger
set 3 kg
BS30300



STAS dibond hanger
set 6 kg
BS30600



STAS self-adhesive
distance caps round
13 mm (per 4 pieces)
MB10080

Complementary products

Contents

STAS coat hooks	41
STAS boards	42
STAS kliq frames	44

STAS coat hooks

turn your wall into storage space

STAS tunica and STAS circus are stylish coat hook systems that can be easily fitted to all STAS rails*. Now your wall not only has a decorative purpose, but a practical one as well. The coat hooks are sturdy, but also easily and endlessly moveable.

STAS tunica has a neutral design and features two coat hooks.

STAS circus is playfully designed by Roderick Vos and the rings and hooks offer plenty of space to hang up your jackets, but also keys, mail and gloves.

* With the exception of STAS j-rail, STAS j-rail max and STAS plasterrail.



STAS tunica white
KH10295 95 cm



STAS circus white
KH10395 95 cm

Features of STAS tunica

Dimensions	15 cm width x 5.2 cm depth mounting strip: 5 cm wide
Length	95 cm
Colour	white (more colours on request)
Material	powder-coated steel strip with 2 plastic hooks
Weight capacity	10 kg per hook
Warranty	5 years

Features of STAS circus

Dimensions	diameter 30 cm, 4.5 cm depth mounting strip: 5 cm wide
Length	95 cm
Colour	white (more colours on request)
Material	powder-coated steel
Weight capacity	10 kg per hook
Warranty	5 years



STAS boards

STAS writing boards

STAS offers a wide range of writing boards. Whatever type you choose, the boards have a magnetic surface, are writeable, are dry-erasable and are available in many sizes.



STAS whiteboards

STAS whiteboards are durable, high-quality boards with a white enamelled steel writing surface. The boards are set in a Softline profile of anodised aluminium with grey plastic corner pieces and are suitable for very intensive use.




STAS whiteboard
WHEMS090 60 x 90 cm
WHWIEMSO 90 x 120 cm
WHW10012 100 x 120 cm
WHW90180 90 x 180 cm
WHW10010 100 x 100 cm
WHW10015 100 x 150 cm

available in all sizes

STAS silverboards

STAS whiteboards are also available in a stylish silver version.



STAS printed boards

We can also print high resolution, full-colour, colour-fast images or texts on your whiteboard. You are the designer! Ideal for weekly schedules, rosters, logos, scoreboards, maps and more.



STAS glassboards

STAS glassboards are stylish transparent writing boards manufactured from hardened safety glass with rounded, polished edges. This means they are safe for use in schools and offices.

The gap between wall and board is small, thanks to the hidden hanging system.

STAS glassboards are available in white, black, purple, green, red and blue.

STAS glassboard
14.600.210 60 x 90 cm
14.600.209 90 x 120 cm
14.600.206 100 x 150 cm

STAS magnets extra strong
14.019.781 5 pieces

STAS pinboards

STAS pinboards have a pinning surface of cork-linoleum (bulletin) or camira and are available in a wide range of colours and sizes. All boards are set in a Softline profile with grey corner pieces (a frameless board is optional).



STAS pinboard bulletin
60 x 90 cm
90 x 120 cm
90 x 180 cm
120 x 180 cm

available in blue, red, grey and dark grey, and in all sizes

STAS pinboard camira
60 x 90 cm
90 x 120 cm
90 x 180 cm
120 x 180 cm

available in all sizes and many colours (accent, pastel, intense)

STAS pushpins assorted
14.032.100

STAS stabilisation set

Combine a board with a STAS stabilisation set. The 4 stabilising caps are fixed to the back of the board to prevent jolting and wall damage.

Not applicable to glassboards.



STAS stabilisation set complete
STASET



STAS kliq frames



STAS kliq frames are frames in high-grade aluminium with a changeable non-reflecting flyleaf. The handy click system allows you to quickly swap your images without taking the frame off the wall.


You can use STAS kliq frames to display floor plans, escape routes, announcements or small posters.

Features

Dimensions	various dimensions
Profile width	32 mm
Colour	alu
Material	anodised aluminium profile with mitre joints, antiglare protective sheet, white, polystyrene back panel (1.5 mm thick) and Apet anti-reflex (0.5 mm thick)
Installation	wall mountable, for example on a STAS system
Warranty	5 years

STAS kliq frame
KK33021 kliq frame A4
KK34230 kliq frame A3
KK36042 kliq frame A2

KK38460 kliq frame A1
KK38411 kliq frame A0
KK37010 kliq frame 70 x 100 cm
KK35070 kliq frame 50 x 70 cm



STAS product index

article code	product description	page nr.
Rail systems		
STAS minirail		
RM10120	minirail white 200 cm	5
RM10130	minirail white 300 cm	5
RM10600	minirail white 600 cm	5
RM30120	minirail alu 200 cm	5
RM30130	minirail alu 300 cm	5
RD10200	minirail rail connector	5
RY10200	minirail combi cap** white	5
RY30200	minirail combi cap** alu	5
SR10000	minirail clipscrew (metal, 3 per m²)	5
SR50700	plug 6 x 30 mm hard / soft wall	5

STAS cliprail		
RC10320	cliprail white 200 cm	6
RC10330	cliprail white 300 cm	6
RC10360	cliprail alu 600 cm	6
RC30120	cliprail alu 200 cm	6
RC30130	cliprail alu 300 cm	6
RD10300	cliprail end cap white	6
RD30300	cliprail end cap alu	6
RD10400	cliprail corner cap white	6
RD30400	cliprail corner cap alu	6
RD40100	railclip (metal, 3 per m²)	6
RD40200	rail connector (metal)	6
SR30100	screw	6
SR50700	plug 6 x 30 mm hard / soft wall	6

STAS cliprail max		
RC10220	cliprail max white 200 cm	7
RC10230	cliprail max white 300 cm	7
RC30220	cliprail max alu 200 cm	7
RC30230	cliprail max alu 300 cm	7
RY10100	cliprail max combi cap** white	7
RY30100	cliprail max combi cap** alu	7
RD40100	railclip (metal, 3 per m²)	7
RD40200	rail connector (metal)	7
SR30100	screw	7
SR50700	plug 6 x 30 mm hard / soft wall	7

STAS cliprail pro		
VC10200	cliprail pro white 200 cm	8
VC10300	cliprail pro white 300 cm	8
VC30200	cliprail pro alu 200 cm	8
VC30300	cliprail pro alu 300 cm	8
VE10200	cliprail pro end cap white	8
VE30200	cliprail pro end cap alu	8

article code	product description	page nr.
VD10400	cliprail pro corner cap white	8
VD30400	cliprail pro corner cap alu	8
RD40100	railclip (metal, 3 per m²)	8
RD40200	rail connector (metal)	8
SR30100	screw	8
SR50700	plug 6 x 30 mm hard / soft wall	8

STAS plastrail		
RS30250	plastrail 250 cm	9
RS30251	plastrail connector	9
RS30260	plastrail cord for plastering 3 mm 20 metre per roll	9

STAS j-rail		
RJ10120	j-rail white 200 cm (4 holes per m²)	10
RJ10130	j-rail white 300 cm (4 holes per m²)	10
RJ30120	j-rail alu 200 cm (4 holes per m²)	10
RJ30130	j-rail alu 300 cm (4 holes per m²)	10
SJ10100	j-rail screw flush head white	10
SJ30100	j-rail screw flush head alu	10
SR50700	plug 6 x 30 mm hard / soft wall	10

STAS j-rail max		
RJ10220	j-rail max white 200 cm (4 holes per m²)	11
RJ10230	j-rail max white 300 cm (4 holes per m²)	11
RJ30220	j-rail max alu 200 cm (4 holes per m²)	11
RJ30230	j-rail max alu 300 cm (4 holes per m²)	11
SJ10200	j-rail max screw sunk head white	11
SJ30200	j-rail max screw sunk head alu	11
SR50700	plug 6 x 30 mm hard / soft wall	11

STAS u-rail		
RP10120	u-rail white 200 cm (8 holes per m²)	12
RP10130	u-rail white 300 cm (8 holes per m²)	12
RP20120	u-rail black 200 cm (8 holes per m²)	12
RP20130	u-rail black 300 cm (8 holes per m²)	12
RP30120	u-rail alu 200 cm (8 holes per m²)	12
RP30130	u-rail alu 300 cm (8 holes per m²)	12
SP10100	u-rail screw white	12
SP20100	u-rail screw black	12
SP30100	u-rail screw alu	12

STAS separate rail parts		
PS50105	rail installation kit 2m² (6 x clip/screw/plug)	
RD10100	railclip plastic	

article code	product description	page nr.
Rail systems with lighting		
STAS multirail		
VH10200	multirail white 200 cm	14
VH10300	multirail white 300 cm	14
VH30200	multirail alu 200 cm	14
VH30300	multirail alu 300 cm	14
VE10200	multirail end cap white	14
VE30200	multirail end cap alu	14
VD10400	multirail corner cap white	14
VD30400	multirail corner cap alu	14
VF50200	multirail conductor 12 V straight	14
VF50100	multirail conductor 12 V corner	14
RD40100	railclip (metal, 3 per m²)	14
RD40200	rail connector (metal)	14
SR30100	screw	14
SR50700	plug 6 x 30 mm hard / soft wall	14

STAS multirail max		
VC10420	multirail max white 200 cm	15
VC10430	multirail max white 300 cm	15
VC30420	multirail max alu 200 cm	15
VC30430	multirail max alu 300 cm	15
RM10420	prorail max white 200 cm *	15
RM10430	prorail max white 300 cm *	15
VE10400	multirail max end cap white	15
VE30400	multirail max end cap alu	15
VD20500	multirail max corner cap white	15
VD30500	multirail max corner cap alu	15
VF50200	multirail conductor 12 V straight	15
VF50100	multirail conductor 12 V corner	15
RD40100	railclip (metal, 3 per m²)	15
RD40200	rail connector (metal)	15
SR30100	screw	15
SR50700	plug 6 x 30 mm hard / soft wall	15

STAS multirail crown		
RC10420	multirail crown white 200 cm (4 holes per m²)	16
RC10430	multirail crown white 300 cm (4 holes per m²)	16
RH10420	prorail crown white 200 cm * (4 holes per m²)	16
RH10430	prorail crown white 300 cm * (4 holes per m²)	16
RD20500	multirail crown corner connector white	16
RD20400	multirail crown rail connector	16
VF50200	multirail conductor 12 V straight	16
VF50100	multirail conductor 12 V corner	16
SJ10200	multirail crown screw	16
SR50700	plug 6 x 30 mm hard / soft wall	16

** combi cap: 2 x end cap/1 x corner cap

* rail without 12 V power supply insert

article code	product description	page nr.
STAS multirail flat		17
RC10520	multirail flat white 200 cm (4 holes per m²)	17
RC10530	multirail flat white 300 cm (4 holes per m²)	17
RH10520	prorail flat white 200 cm * (4 holes per m²)	17
RH10530	prorail flat white 300 cm * (4 holes per m²)	17
RD20500	multirail flat corner connector white	17
RD20400	multirail flat rail connector	17
VF50200	multirail conductor 12 V straight	17
VF50100	multirail conductor 12 V corner	17
SJ10200	multirail flat screw	17
SR50700	plug 6 x 30 mm hard / soft wall	17

STAS u-rail multi		18
VP10200	u-rail multi white 200 cm (8 holes per m²)	18
VP10300	u-rail multi white 300 cm (8 holes per m²)	18
VP20200	u-rail multi black 200 cm (8 holes per m²)	18
VP20300	u-rail multi black 300 cm (8 holes per m²)	18
VP30200	u-rail multi alu 200 cm (8 holes per m²)	18
VP30300	u-rail multi alu 300 cm (8 holes per m²)	18
VF50200	multirail conductor 12 V straight	18
VF50100	multirail conductor 12 V corner	18
SP10100	u-rail screw white	18
SP20100	u-rail screw black	18
SP30100	u-rail screw alu	18

STAS multirail accessories		19
VA10500	multirail fixture classic white 50 cm	19
VA10700	multirail fixture classic white 70 cm	19
VA30500	multirail fixture classic chrome 50 cm	19
VA30700	multirail fixture classic chrome 70 cm	19
VA30365	multirail fixture sirius chrome 40 cm	19
VA30465	multirail fixture sirius chrome 50 cm	19
VA30665	multirail fixture sirius chrome 65 cm	19
VA30770	multirail fixture signo chrome 70 cm	19
VL10304	multirail halogen 20 W Kandalite clear	20
VL10305	multirail halogen 20 W Kandalite frosted	20
VL10200	multirail LED spot 3.5 W 27°	20
VL10700	multirail powerLED 4 W	20
VL10900	multirail LED spot 3.5 W 95°	20
VT20500	multirail adapter 18 W	21
VT20400	multirail adapter 60 W	21
VT20300	multirail adapter 96 W	21

Hooks and cords for rail systems		22
STAS hooks and cords		23
HA30900	smartspring (4 kg perlon)	23
HA30501	zipper (15 kg perlon + 20 kg steel)	23

article code	product description	page nr.
HA30530	zipper pro (15 kg perlon + 20 kg steel)	23
CP10110	cobra + perlon cord 100 cm	23
CP10115	cobra + perlon cord 150 cm	23
CP10120	cobra + perlon cord 200 cm	23
CP10125	cobra + perlon cord 250 cm	23
CP10130	cobra + perlon cord 300 cm	23
CP10140	cobra + perlon cord 400 cm	23
SC10110	cobra + steel cable 100 cm	23
SC10115	cobra + steel cable 150 cm	23
SC10120	cobra + steel cable 200 cm	23
SC10125	cobra + steel cable 250 cm	23
SC10130	cobra + steel cable 300 cm	23
SC10140	cobra + steel cable 400 cm	23
SC10220	cobra + steel cable white 200 cm (10 kg zipper)	23
SC20220	cobra + steel cable black 200 cm (10 kg zipper)	23
BM20330	blister 2 x smartspring	
BM20340	blister 2 x zipper	
BM20310	blister 2 x cobra + perlon cord 150 cm	
BM20320	blister 2 x cobra + steel cable 150 cm	
BM10280	blister cobra + perlon cord 150 cm + smartspring	
BM10230	blister cobra + perlon cord 150 cm + zipper	
BM10290	blister cobra + steel cable 150 cm + zipper	
PK10100	perlon cord on roll 100 m¹	

STAS j-rail hooks, cords and rods		24
HA30900	smartspring (4 kg perlon)	24
HA30501	zipper (15 kg perlon + 20 kg steel)	24
HA30530	zipper pro (15 kg perlon + 20 kg steel)	24
PH10110	j-rail perlon cord with disk 100 cm	24
PH10115	j-rail perlon cord with disk 150 cm	24
PH10120	j-rail perlon cord with disk 200 cm	24
PH10125	j-rail perlon cord with disk 250 cm	24
PH10130	j-rail perlon cord with disk 300 cm	24
HR10600	j-rail cylinder hook white	24
HR30600	j-rail cylinder hook alu	24
SO10110	j-rail rod 3 mm white 100 cm	24
SO10115	j-rail rod 3 mm white 150 cm	24
SO10120	j-rail rod 3 mm white 200 cm	24
SO10130	j-rail rod 3 mm white 300 cm	24
SO30110	j-rail rod 3 mm alu 100 cm	24
SO30115	j-rail rod 3 mm alu 150 cm	24
SO30120	j-rail rod 3 mm alu 200 cm	24
SO30130	j-rail rod 3 mm alu 300 cm	24
HA30700	j-rail spring hook for rod 3 mm (15 kg)	24
HR10400	j-rail S-hook white (for cord with loop)	24
HR30400	j-rail S-hook alu (for cord with loop)	24

article code	product description	page nr.
STAS j-rail max hooks and rods		25
SM10110	j-rail max steel rod 4x4 white 100 cm	25
SM10115	j-rail max steel rod 4x4 white 150 cm	25
SM10120	j-rail max steel rod 4x4 white 200 cm	25
SM10125	j-rail max steel rod 4x4 white 250 cm	25
SM30110	j-rail max steel rod 4x4 alu 100 cm	25
SM30115	j-rail max steel rod 4x4 alu 150 cm	25
SM30120	j-rail max steel rod 4x4 alu 200 cm	25
SM30125	j-rail max steel rod 4x4 alu 250 cm	25
SM10210	j-rail max steel rod 4x10 white 100 cm	25
SM10215	j-rail max steel rod 4x10 white 150 cm	25
SM10220	j-rail max steel rod 4x10 white 200 cm	25
SM10225	j-rail max steel rod 4x10 white 250 cm	25
HA40600	j-rail max hook for 4x4 rod (40 kg)	25
HA40500	j-rail max hook for 4x10 rod (100 kg)	25
BK10200	4x4 security set, collar + cap	25
HA40700	j-rail max security hook (40 kg)	25

STAS plasterrail hooks and cords		26
HA30900	smartspring (4 kg perlon)	26
HA30501	zipper (15 kg perlon + 20 kg steel)	26
HA30530	zipper pro (15 kg perlon + 20 kg steel)	26
RS30270	plasterrail S-hook chrome (for cords with loop)	26
PA10150	perlon cord with plasterrail hook 150 cm	26
PL10110	perlon cord with loop 100 cm	26
PL10115	perlon cord with loop 150 cm	26
PL10120	perlon cord with loop 200 cm	26
PL10125	perlon cord with loop 250 cm	26
PL10130	perlon cord with loop 300 cm	26
SL10110	steel cable with loop 100 cm	26
SL10115	steel cable with loop 150 cm	26
SL10120	steel cable with loop 200 cm	26
SL10125	steel cable with loop 250 cm	26
SL10130	steel cable with loop 300 cm	26

Magnetic hanging solutions		28
BM20360	magnet set	29
MB10050	white magnets (10 pieces)	29
BM20370	coloured magnet set	29
MB10040	coloured magnets (10 pieces)	29
BM20380	magnet set 2-in-1 (<i>cobra</i> + <i>loop</i>)	29
MA10100	magnetic picture hook 5.3x10 cm, max 1 kg	30
MA10200	magnetic picture hook 10x20 cm, max 6 kg	30
MA10300	magnetic picture hook 15x25 cm, max 10 kg	30
MA10400	magnetic picture hook 20x30 cm, max 21 kg	30
MA90010	magnetic coat hook single 9 x 12 x 10 cm	30
MA90016	magnetic coat hook double 9 x 12 x 16 cm	30

article code	product description	page nr.
MA90040	magnetic coat hook quartet 40 x 12 x 5 cm	30
MA00050	steelstrip 50 x 5 cm	31
MA00100	steelstrip 100 x 5 cm	31
MA00018	metal tape 12.5 cm width	31
MA00002	magnetic ceiling hook 25 mm	31
MA00005	magnetic straight ceiling hook	31

Other hanging solutions		32
STAS papergrip		33
PG10103	papergrip white 28 cm	33
PG10105	papergrip white 50 cm	33
PG10110	papergrip white 100 cm	33
PG10115	papergrip white 150 cm	33
PG10120	papergrip white 200 cm	33
PG15103	papergrip white textured 28 cm	33
PG15005	papergrip white textured 50 cm	33
PG15010	papergrip white textured 100 cm	33
PG15015	papergrip white textured 150 cm	33
PG15020	papergrip white textured 200 cm	33
PG20103	papergrip black textured 28 cm	33
PG20105	papergrip black textured 50 cm	33
PG20110	papergrip black textured 100 cm	33
PG20115	papergrip black textured 150 cm	33
PG20120	papergrip black textured 200 cm	33
PG30103	papergrip alu textured 28 cm	33
PG30105	papergrip alu textured 50 cm	33
PG30110	papergrip alu textured 100 cm	33
PG30115	papergrip alu textured 150 cm	33
PG10120	papergrip alu textured 200 cm	33
PG90001	papergrip end cap white	33
PG90002	papergrip end cap black	33
PG90003	papergrip end cap alu	33
HA40410	papergrip hook white	33
HA40412	papergrip hook alu	33
HA40411	papergrip hook black	33
RD40100	railclip (metal, 3 per m1)	33
RD40200	rail connector	33
SR30100	screw	33
SR50700	plug 6 x 30 mm hard / soft wall	33

STAS paperrail		34
KN10005	paperrail white 50 cm	34
KN30005	paperrail alu 50 cm	34
KN10010	paperrail white 100 cm	34
KN30010	paperrail alu 100 cm	34
KN10020	paperrail white 200 cm	34
KN30020	paperrail alu 200 cm	34

article code	product description	page nr.
KN30100	paperrail connector set	34
SR10000	clipscrew	34
SR50700	plug 6 x 30 mm hard / soft wall	34

STAS panel hooks		35
HW10300	panel hook white 11 mm	35
HW10400	panel hook white 16 mm	35
HW10600	panel hook white 18 mm	35
HW10500	panel hook white 21 mm	35
HW10700	panel hook white 26 mm	35
HW10800	panel hook white 31 mm	35
HW30700	panel hook alu interselect	35
HW30800	panel hook alu lux window frame	35
HW50100	panel hook transparent alcoa	35
HW30300	panel hook alu verwol type 1	35
HW30400	panel hook alu verwol type 2	35
HW30500	panel hook alu sepa normal	35
HW10200	moulding hook white	35
HW30200	moulding hook alu	35
HW60200	moulding hook gold	35
HW50400	panel hook askon chrome	35
HW50500	panel hook PR transparent	35
HW50600	panel hook maars	35

STAS picture hits		36
BM20350	picture hits	36

STAS poster strips and snaps		37
PS30050	poster snap set alu 50 cm	37
PS30070	poster snap set alu 70 cm	37
PS30100	poster snap set alu 100 cm	37
PS50030	poster strip set transparent 30 cm	37
PS50042	poster strip set transparent 42 cm	37
PS50050	poster strip set transparent 50 cm	37
PS50060	poster strip set transparent 60 cm	37
PS50070	poster strip set transparent 70 cm	37
PS50084	poster strip set transparent 84 cm	37
PS50110	poster strip set transparent 100 cm	37

STAS set up		38
RR10120	set up white 145 cm	38
RR30120	set up alu 145 cm	38
KN30100	set up connector set	38
SJ10100	screw flush head white	38
SJ30100	screw flush head alu	38
SR50700	plug 6 x 30 mm hard / soft wall	38

article code	product description	page nr.
STAS suspended ceiling hooks		39
HA10100	suspended ceiling hook white	39
HA10200	suspended ceiling hook white for loop	39

STAS dibond hangers		39
BS30300	dibond hanger set 3 kg	39
BS30600	dibond hanger set 6 kg	39
MB10080	self-adhesive distance caps round 13 mm (4 pcs.)	39

Complementary products		40
STAS coat hooks		41
KH10295	tunica white 95 cm	41
KH10395	circus white 95 cm	41

STAS boards		42
WHEMS090	whiteboard 60 x 90 cm	42
WHWEMSO	whiteboard 90 x 120 cm	42
WHW10012	whiteboard 100 x 120 cm	42
WHW90180	whiteboard 90 x 180 cm	42
WHW10010	whiteboard 100 x 100 cm	42
WHW10015	whiteboard 100 x 150 cm	42
14.600.210	glassboard 60 x 90 cm	43
14.600.209	glassboard 60 x 90 cm	43
14.600.206	glassboard 100 x 150 cm	43
14.019.781	magnets extra strong 5 pieces	43

	pinboard bulletin 60 x 90 cm	43
	pinboard bulletin 90 x 120 cm	43
	pinboard bulletin 90 x 180 cm	43
	pinboard bulletin 120 x 180 cm	43
	pinboard camira 60 x 90 cm	43
	pinboard camira 90 x 120 cm	43
	pinboard camira 90 x 180 cm	43
	pinboard camira 120 x 180 cm	43
14.032.100	pushpins assorted	43
STASET	stabilisation set	43

STAS kliq frames		44
KK33021	kliq frame A4	44
KK34230	kliq frame A3	44
KK36042	kliq frame A2	44
KK38460	kliq frame A1	44
KK38411	kliq frame A0	44
KK37010	kliq frame 70 x 100 cm	44
KK35070	kliq frame 50 x 70 cm	44



STAS picture hanging systems

Esp 245 | 5633 AD Eindhoven | PO Box 1049 | 5602 BA Eindhoven | The Netherlands

T +31 (0)40 292 48 48 | F +31 (0)40 292 48 49 | info@stasgroup.com

www.stasgroup.com

Important note regarding warranty and liability

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at www.stasgroup.com. It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.